

BioAssays Summary

Protocol I	Body Weight (gm) Pre-implant	Body Weight (gm) week after implant	Uterine weight (gm)	Uterine horn length (cm)	Left Kidney weight (gm)	Right Kidney weight (gm)	Pituitary weight (mg)
Section 1							
Section 2							
Section 3							
Section 4							
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
SD	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Max	0	0	0	0	0	0	0
Min	0	0	0	0	0	0	0

Protocol II	Body Weight (gm) Pre-implant	Body Weight (gm) week after implant	Uterine weight (gm)	Uterine horn length (cm)	Left Kidney weight (gm)	Right Kidney weight (gm)	Pituitary weight (mg)
Section 1							
Section 2							
Section 3							
Section 4							
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
SD	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Max	0	0	0	0	0	0	0
Min	0	0	0	0	0	0	0

Protocol III	Body Weight (gm) Pre-implant	Body Weight (gm) week after implant	Uterine weight (gm)	Uterine horn length (cm)	Left Kidney weight (gm)	Right Kidney weight (gm)	Pituitary weight (mg)
Section 1							
Section 2							
Section 3							
Section 4							
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
SD	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Max	0	0	0	0	0	0	0
Min	0	0	0	0	0	0	0

Protocol IV	Body Weight (gm) Pre-implant	Body Weight (gm) week after implant	Uterine weight (gm)	Uterine horn length (cm)	Left Kidney weight (gm)	Right Kidney weight (gm)	Pituitary weight (mg)
Section 1							
Section 2							
Section 3							
Section 4							
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
SD	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Max	0	0	0	0	0	0	0
Min	0	0	0	0	0	0	0

Protocol V	Body Weight (gm) Pre-implant	Body Weight (gm) week after implant	Uterine weight (gm)	Uterine horn length (cm)	Left Kidney weight (gm)	Right Kidney weight (gm)	Pituitary weight (mg)
Section 1							
Section 2							
Section 3							
Section 4							
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
SD	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Max	0	0	0	0	0	0	0
Min	0	0	0	0	0	0	0